

# INDEX

- Absolute-value nonlinearity, 351
- Accuracy (*see* Describing functions)
- Adaptive control system, 323, 327–332
  - missile roll control, 332–341
- Aizerman, M. A., 162*n.*, 199, 206
- Amplitude-phase plot (*see* Gain-phase plot)
- Amplitude-ratio condition, 308, 319, 336, 338
- Amplitude-ratio-decibel conversion table, 515–517
- Amplitude-regulating loop (*see* Limit cycle)
- Amplitude transfer function, 233–237
- Amsler, B. E., 259
- Approximator for a nonlinearity, 19
- Artificial dither (*see* Dither)
- Asymmetric nonlinearity, 300
  - in limit cycle calculations, 340–345
  - piecewise linear, 311
- Asymptotic methods, 43
- Atherton, D. P., 19, 30, 108, 368, 387, 396
- Attenuation of harmonics, 172
- Autocorrelation function, 636
- Autoresonance hypothesis, 162*n.*
- Averaging, method of, 45
- Axelby, G. S., 368
- Backlash, 67
  - friction-controlled, 68–69
  - inertia-controlled, 68, 70–71
  - viscous friction plus inertia load, 77–79
- Bang-bang nonlinearity (*see* Ideal relay nonlinearity)
- Barker, H. A., 222
- Barrett, J. F., 368
- Bass, R. W., 181–183
- Battin, R. H., 629
- Bautin, N., 125

- Bennett, W. R., 255  
 Bergen, A. R., 188, 498  
 Bessel function, 65, 266, 378–380  
 Biased-output ideal-relay, 343–344  
 Biased subharmonic mode, 270  
 Bode plot, 117  
 Bogoliubov, N., 42, 45, 180–181, 220–222  
 Bohn, E. V., 198  
 Bonenn, Z., 132, 280  
 Booton, R. C., Jr., 19, 368, 369, 399  
 Boyer, R. C., 354*n*.  
 Brockett, R. W., 185*n*.  
 Bulgakov, B. V., 181  
 Burrington, R. S., 375
- Cahen, G., 121  
 Calculation of describing functions  
   approximate, 89–96, 385–392  
   DF, 54–85  
   DIDF, 305–317  
   EIDF, 454–456  
   RIDF, 370–385  
   sampled describing function, 475, 484–492  
   TSIDF, 253–267  
 Caron, J. Y., 367  
 Central limit theorem, 634  
 Characteristic equation, 113, 155, 323, 496  
 Chatter (*see* Limit cycle)  
 Chebyshev polynomial, 108  
 Chen, K., 438, 442–449, 452–453  
 Chow, C. K., 474, 490  
 Chuang, K., 368  
 Clauser, F. H., 222  
 Clegg integrator, 79, 126–127, 151, 315–317  
 Coales, J. F., 368  
 Compensation techniques  
   linear compensation, 145–148, 331–332, 407–411, 470  
   nonlinear model feedback, 148–151  
   other nonlinear networks, 151–154, 411–414  
 Complete elliptic integrals, defined, 258  
 Conditionally stable system, 286, 325  
 Contactor (*see* Ideal relay nonlinearity)  
 Control system, feedback, 3  
 Corrected-conventional describing function, 85, 109
- Cosgriff, R. I., 431  
 Coulomb friction, rotary, 105  
 Covariance, 633  
 Cross-correlation equivalence, 22, 24  
 Cross-correlation function, 636  
 Cross power spectral density function, 640  
 Cubic nonlinearity, 65, 116, 136, 243, 253, 265–269, 296, 315, 357, 372, 402, 491  
 Culver, W. J., 367  
 Cunningham, W. J., 205
- Da-Chuan, S., 506  
 Damping ratio, 47  
 Davenport, W. B., Jr., 629  
 D'Azzo, J. J., 85  
 Dead zone, 4–6  
   (*See also* Relay with dead zone)  
 Deadband gain (*see* Dead zone)  
 Decibel (*see* Amplitude-ratio-decibel conversion table)  
 Delay time, 447  
 Delfeld, F. R., 506  
 Describing functions  
   applicability, 15, 16  
   limitations, 16  
   model of the nonlinearity, 19  
   multiple inputs of the same form, 33–34  
   point of view, 14  
   for specific signal forms, 25–33  
   for small signals, 34–37, 303–304, 426–427  
   a unified theory of, 18–37  
   (*See also* specific types)  
 DF (*see* Sinusoidal-input describing function)  
 DIDF (*see* Dual-input describing function)  
 di Tada, E. G., 97  
 Dither, 339, 345–357  
   linearizing effect of, 349  
   random, 415–420  
   sinusoidal, 348  
   square-wave, 348  
   triangular-wave, 346–348  
 Dixon, M. V., 490  
 Double Fourier series expansion, 255–260  
 Douce, J. L., 253, 271, 272, 411

- Dominant behavioral modes, 447
- Drive capability, choice of, 327
- Dual-input describing function, 298–364
  - tabulation of, 539–553
- Dual-mode nonlinear integrator (*see* Clegg integrator)
- Dual-mode operation, 399
- Dutilh, J., 49
  
- Earth satellite, orbit period of, 298–299
- EIDF (*see* Exponential-input describing function)
- Elgerd, O. I., 267
- Elliptic describing function, 85
- Equivalent nonlinear element, 30, 52, 309, 348, 354, 358, 387, 427–429
- Error, mean-squared approximation, 20–23
- Error coefficients, 447
- Exact determination of limit cycles
  - relay control systems, 185–199
  - sampled nonlinear systems, 497–505
- Exponential-input describing function, 439, 454–459
  - formulation of, 454–455
  - tabulation of, 456
  
- $f(\gamma)$ , 59, 317
- Feedback control system, 3
- Filter hypothesis, 111, 162, 183
  - analytical justification for, 625–628
  - first harmonic, 627
  - higher harmonics, 628
- Fitts, R. E., 296
- Flip-flop, DF for, 109
- Forced response
  - of limit cycling systems, 317–329
  - steady-state forced errors, 326
  - transient response behavior, 318–321
  - of randomly disturbed systems, 428–429
- Fourier series, 49, 255–260
- Fourier transform of nonlinearity, 260, 378–380
- Franklin, G. F., 462
- Frequency-dependent describing functions
  - DF, 75–84
  - DIDF, 316
- Frequency-ratio condition, 308
  
- Frequency response
  - calculation of, 125–143
  - counterexamples, 271–274
  - effect of additional random input, 418–420
  
- $g(\gamma)$ , 313, 317
- Gain-changing nonlinearity, 55–60
- Gain-phase plot, 117–118, 121, 124, 146–148, 275, 328, 469
- Gamma function, 64*n*.
- Gaussian process, 638
- Gelb, A., 222, 298
- Generating solution, 181
- Gibson, J. E., 85, 97, 117*n*., 260, 272
- Gille, J. C., 60*n*.
- Goldfarb, L. C., 49
- Gorozdos, R. E., 259
- Gould, L. A., 409
- Graham, D., 60*n*.
- Grensted, P. E. W., 222
- Gronner, A. D., 88
- Guillemin, E. A., 195
- Gusev, M. I., 30
  
- Half-wave linear rectifier, 288
- Hamel, B., 198
- Harmonic balance, 299
- Harmonic linearization, 47, 49, 222, 366
- Harmonic nonlinearity, 65, 166, 266, 283, 288, 377
- Harmonically related input sinusoids, 254
- Harmonics
  - generation of, 71–75, 81, 260
  - importance of, 163–174
- Hatanaka, H., 134
- Hermite polynomials, 371–372, 643
- Holzman, J. M., 183
- Hysteresis, 4–5, 65, 170, 187
  - rectangular hysteresis, 67, 188, 195, 197, 309, 465–472
- Hysteretic relay (*see* Hysteresis)
  
- Ideal relay nonlinearity, 57, 176, 187, 224–229, 257, 260, 263, 266, 273, 306–309, 320, 343, 350, 403, 457, 477–484
- In-phase gain, 53, 302
- Incommensurate periods, 251

- Incremental-input describing function,  
253, 276–286, 291, 303, 308, 311,  
315, 344, 360  
for nonsynchronous inputs, 278  
for synchronous inputs, 276–278
- Inherent adaptivity (*see* Adaptive control system)
- Integral representation of nonlinearity,  
260, 378–380
- Intentionally inexact model feedback,  
150–151
- Inverted pendulum control system, 363
- Jaffe, R. C., 267
- Johnson, E. C., 181–182
- Jump resonance, 132  
effect of random dither, 419  
treatment using incremental-input describing function, 278–280
- Jump resonance curve, critical, 133–138
- Jury, E. I., 462, 498, 506
- Kaiser, J. F., 409
- Kalb, R. M., 255
- Kalman filter, 411
- Katkovnik, V. Y., 370
- Kazakov, I. Y., 367, 368
- Kazda, L. F., 368
- King, R. E., 271, 411
- Klotter, K., 84
- Kochenburger, R. J., 49
- Krylov, N., 42, 45, 220–222
- Kuo, B. C., 462, 475, 490
- Kwatny, H. G., 416
- Laning, J. H., Jr., 629
- Laser gyroscope, 364
- Lee, Y. W., 629
- Leonhard, A., 291*n.*
- Lepschy, A., 491
- Levadi, V. S., 431
- Li, Y. T., 298
- Limit cycle, 7, 8, 111  
amplitude regulation, 231, 338–340  
build-up, 230  
determination of, 111–120, 189–190,  
323, 335–336, 340–344, 415–416,  
468–470
- Limit cycle  
dynamics, 231–241, 280–282  
excitation, 8, 272–273, 415  
frequency regulation, 241  
quenching, 8, 273–274, 415  
stability, 120–125, 241–246, 274–276,  
492–497
- Limit-cycling control systems, 321–341
- Limit-cycling minor loop, 335
- Limiting, 57, 60, 272, 455, 494–497
- Linear system approximations, 443–448  
for transient response, 446–448
- Linearization  
harmonic, 366  
small-signal, 12  
statistical, 366
- Livesley, R. K., 253
- Loeb, J. M., 121, 298
- Lozier, J. C., 298, 327
- Lubbock, J. K., 222
- Lur'e, A. I., 199
- Lyapunov's direct method, 10
- MacColl, L. A., 298
- McRuer, D., 60*n.*
- Magnus, K., 60*n.*, 168*n.*
- Mahalanabis, A. K., 431
- Massachusetts Institute of Technology,  
326
- Mathieu equation, 291–295
- Mean squared value, 632
- Mean value, 632
- Merchav, S. J., 368
- Mesarovic, M. D., 367
- Meserve, W. E., 499
- Minorsky, N., 354
- Mitropolsky, Y. A., 180–181
- Modified nonlinearity (*see* Equivalent nonlinear element)
- Morosanov, I. S., 370
- Multiple limit cycles, 274–276
- Multiple nonlinearity systems  
limit cycles in, 156–161  
treatment of, 154–161
- Murphy, G. J., 506
- Naslin, P., 350, 351*n.*, 361
- Nath, A. K., 431
- Nease, R. F., 493, 506

- Neumann factor, use of, 261  
 Newton, G. C., 409  
 Nikiforuk, P. N., 405, 419  
 Nishimura, T., 498, 506  
 Non-harmonically related input sinusoids, 254  
 Nonlinearity  
   approximation for, 19  
   dynamic, 4, 5, 83  
   explicit, 4  
   hard, 65  
   implicit, 4, 83  
   reduction of form, 5, 6  
   soft, 65  
   static, multiple-valued, 4  
     single-valued, 4, 29, 31–33, 642  
 Nonlinearity test inputs  
   bias input, 15, 25–26  
   exponential input, 455  
   gaussian input, 15, 31–33, 370  
   multiple inputs, 33–37, 250–263, 301, 370–384  
   sinusoidal input, 15, 26–30, 49, 485, 491, 507  
   transient input, 215, 439  
 Nonoscillatory transients, 439–460  
 Numerical integration, 93–96, 385–392  
 Nuttall, A. H., 369
- Odd square-law nonlinearity, 360  
 Oldenburger, R., 354, 357, 369, 420  
 On-off element (*see* Ideal relay nonlinearity)  
 Oppelt, W., 49  
 Optical beam-riding missile, 284–286  
 Optical tracker error characteristic, 105  
 Optimal control (*see* Time-optimal computer control system; Wiener filter)  
 Orbit period, calculation of, 298–300  
 Oscillating control systems, 298  
   (*See also* Limit-cycling control systems)  
 Oscillations  
   conservative free, 111, 164  
   forced, 111, 190  
   regional synchronous behavior, 192  
 Oscillator, second-order, 47
- Padé approximants, 195, 445  
 Pai, M. A., 499
- Pal'tov, N. P., 298  
 Parallel-connected nonlinearities, 86–88  
 Parameter-adaptive control (*see* Adaptive control system)  
 Pastel, M. P., 222  
 Pendulum, oscillations of, 165–166  
 Perturbation method, 43–45  
 Pervozvanskii, A. A., 370  
 Phase plane, 10, 229  
 Piecewise-linear nonlinearity, 60, 311, 380  
 Piecewise-sinusoidal approximation, 222  
 Poincaré, H., 43  
 Point of apparent constraint, 328  
 Polar plot, 117–118, 124, 243  
 Polynomial nonlinearity, 63, 313, 371  
 Popov, E. P., 30, 121, 174, 222, 298, 427  
 Popov, V. M., 184–185  
 Power-series expansion, 11, 264  
 Power spectral density function, 639  
 Prasanna-Kumar, K. S., 85  
 Preload nonlinearity, 163, 281  
 Probability, 629  
 Probability density function, 630  
 Probability distribution function, 630  
 Probability function, 376, 377, 383, 393  
 Probability integral, 375, 377, 394  
 Pseudo nonlinearity (*see* Equivalent nonlinear element)  
 Pulse-excited clock pendulum, 168–170  
 Pulse-width-modulated systems, 505–509  
 Pupkov, K. A., 367  
 Pyshkin, I. V., 493, 506
- Quadrature gain, 53, 302  
   calculation by area, 305  
 Quantizer, 62  
 Quasi-linearization, 13–14, 18–19, 439
- Raggazini, J. R., 462  
 Ramp response  
   limit-cycling system, 326  
   randomly disturbed system, 429  
 Random-input describing function  
   accuracy of, 401–407  
   approximate calculation of, 385–392  
   tabulation of, 565–610

- Random process, 635
  - ergodic, 637
  - gaussian, 638
  - stationary, 636
- Random variable, 630
- Rankine, R. R., Jr., 85
- Rationally related periods, 252
- Rayleigh's equation, 208
- Rectangular hysteresis, 67, 465
- Recursive solution, 44, 265
- Regional division of the  $s$  plane, 321
- Relay (*see* Ideal relay nonlinearity)
  - with dead-zone, 57, 60, 114, 148, 187, 284, 384, 484–491
- Relay control systems, specific techniques
  - for continuous, 185–199, 369–370
  - for sampled, 465–472
- Relay-controlled split-field series motor, 351
- Replacement rules for transient oscillations, 217, 218
- Residual, 50, 71, 85, 162, 440
- Residual shaping network, 443–454
- Remnant (*see* Residual)
- Rice, S. O., 261
- RIDF (*see* Random-input describing function)
- RMS describing function, 85, 109
- Root locus plot, 124, 324–325, 337
- Root, W. L., 629
- Routh-Hurwitz stability test, 113–114
- Ruberti, A., 491
- Russell, F. A., 474, 490
  
- Sampled describing function, 475
  - accuracy of, 490
  - tabulation of, 611–624
- Sandberg, I. W., 183
- Saturation function, 59
- Saturation nonlinearity (*see* Limiter)
- Sawaragi, Y., 369
- Secular terms, 44
- Sensitivity function, 331, 360
- Series-connected nonlinearities, 88–89
- Series prefilter, 331
- Servomanometer, 352
- Shuck, O. H., 331
- Signal forms for describing function
  - analysis, 15
- Signal stabilization, 274, 354
  
- Simple pendulum, oscillations of, 165–168
- Simulation of system, 9
- Sinusoidal-input describing function
  - accuracy of, 162–185
  - approximate calculation of, 89–97
  - correction term for, 174–179
  - inversion of, 97–101
  - placing bounds on, 96–97
  - synthesis of, 86–89
  - tabulation of, 519–538
- Slowly varying amplitude and phase
  - method of, 43, 45–47
  - in transient oscillations, 212–214
- Slowly varying inputs, 304, 425–429
- Small parameters, method of, 43
- Smith, H. W., 369, 401, 407, 428
- Smith, O. J. M., 153
- Solution of nonlinear equations
  - closed form, 10
  - by series expansions, 11–12
- Somerville, M. J., 19, 30, 368, 387
- Sparacino, R. R., 138, 141–144
- Spoilers, 351
- Sridhar, R., 260, 272, 369, 420
- Stability curve, 279
- Standard deviation, 633
- Stoker, J. J., 43, 84, 132
- Stout, T. M., 83
- Subharmonic resonance, 15, 267–271
  - twenty-eight degree rule, 290
  - twenty-one degree rule, 272
- Superposition, 1
  - failure of, 2, 25
- Switching criterion, 139
- Systems
  - behavior of, 7–9
  - definitions of
    - linear, 1, 638
    - nonlinear, 2
    - time-invariant, 1, 639
    - time-varying, 2
- Takahashi, S., 369
- Temperature control system, 170
- Test of prototype system, 9
- Test inputs (*see* Nonlinearity test inputs)
- Thaler, G. J., 222
- Three-level relay (*see* Relay with dead zone)

- Three-sinusoid-input describing function, 295
- Threshold (*see* Dead zone)
- Time-delay, 195, 197–198
- Time-lag nonlinear differential equation, 116–117, 243–246
- Time-optimal computer control system, frequency response of, 138–144
- Torng, H. C., 499, 501
- Tou, J. T., 462
- Transient-input describing function, 439–454
- Transient oscillations, 212–249, 280–283, 457–458
  - quasi-static solution, 224
  - small- $\sigma$  solution, 223–224
  - static solution, 224
- Transient response
  - nonoscillatory, 439–459
  - oscillatory, 212–231, 280–282
 (*See also* Forced response)
- Transport lag (*see* Time-delay)
- TSIDF (*see* Two-sinusoid-input describing function)
- Tsyppkin, Ya. Z., 171, 188–198, 370
- Tustin, A., 49
- Two-sinusoid-input describing function, 250–296
  - accuracy of, 260
  - approximation of, 358
  - tabulation of, 557–564
- Unstable open-loop system, 325
- Van der Pol, B., 39, 42, 45, 104
- Vander Velde, W. E., 30, 222, 298
- Variance, 632
- Voronov, A. A., 222, 230
- Weighting function, 2, 638
- West, J. C., 253, 405, 419
- Wiener filter, 407
- Wiener-Hopf equation, 31
- z-transform describing function, 475